

Syncope Toolkit References

1. NICE. NICE [Transient loss of consciousness \('blackouts'\) in over 16s](#) (CG109).
2. Engel GL. [Psychologic stress, vasodepressor \(vasovagal\) syncope, and sudden death](#). Ann Intern Med. 1978;89(3):403-12.
3. Ng J, Sheldon RS, Ritchie D, Raj V, Raj SR. [Reduced quality of life and greater psychological distress in vasovagal syncope patients compared to healthy individuals](#). Pacing Clin Electrophysiol. 2019;42(2):180-8.
4. Sheldon RS, Morillo CA, Krahn AD, O'Neill B, Thiruganasambandamoorthy V, Parkash R, et al. [Standardized approaches to the investigation of syncope: Canadian Cardiovascular Society position paper](#). Can J Cardiol. 2011;27(2):246-53.
5. Kapoor WN. [Current evaluation and management of syncope](#). Circulation. 2002;106(13):1606-9.
6. Kavi L. [Transient loss of consciousness \(TLoC\) in primary care: a review of patients presenting with first blackout](#). Br J Cardiol. 2017;24:62-5.
7. Zaidi A, Clough P, Cooper P, Scheepers B, Fitzpatrick AP. [Misdiagnosis of epilepsy: many seizure-like attacks have a cardiovascular cause](#). J Am Coll Cardiol. 2000;36(1):181-4.
8. Fitzpatrick AP, Cooper P. [Diagnosis and management of patients with blackouts](#). Heart. 2006;92(4):559-68.
9. O'Dwyer C, Bennett K, Langan Y, Fan CW, Kenny RA. [Amnesia for loss of consciousness is common in vasovagal syncope](#). Europace. 2011;13(7):1040-5.
10. Ungar A, Mussi C, Ceccofiglio A, Bellelli G, Nicosia F, Bo M, et al. [Etiology of Syncope and Unexplained Falls in Elderly Adults with Dementia: Syncope and Dementia \(SYD\) Study](#). J Am Geriatr Soc. 2016;64(8):1567-73.
11. A F. [Orthostatic intolerance: orthostatic hypotension and postural orthostatic tachycardia syndrome](#). 2019 July 2018. In: ESC CardioMed [Internet]. Oxford University Press. 2.
12. Brignole M, Moya A, De Lange FJ, Deharo J-C, Elliott PM, Fanciulli A, et al. [2018 ESC Guidelines for the diagnosis and management of syncope](#). European Heart Journal. 2018;39(21):1883-948.
13. Van Dijk JG, Van Rossum IA, Thijs RD. Timing of Circulatory and Neurological Events in Syncope. Frontiers in Cardiovascular Medicine. 2020;7.
14. Brignole M, Menozzi C, Bartoletti A, Giada F, Lagi A, Ungar A, et al. [A new management of syncope: prospective systematic guideline-based evaluation of patients referred urgently to general hospitals](#). European Heart Journal. 2006;27(1):76-82.
15. Soteriades ES, Evans JC, Larson MG, Chen MH, Chen L, Benjamin EJ, et al. [Incidence and prognosis of syncope](#). N Engl J Med. 2002;347(12):878-85.
16. Sheldon RS, Grubb BP, 2nd, Olshansky B, Shen WK, Calkins H, Brignole M, et al. 2015 heart rhythm society expert consensus statement on the diagnosis and treatment of postural tachycardia syndrome, inappropriate sinus tachycardia, and vasovagal syncope. Heart Rhythm. 2015;12(6):e41-63.
17. Miller TH, Kruse JE. Evaluation of syncope. Am Fam Physician. 2005;72(8):1492-500.

18. Kenny RA, McNicholas T. The management of vasovagal syncope. *QJM*. 2016;109(12):767-73.
19. Sutton R. Carotid sinus syndrome: Progress in understanding and management. *Glob Cardiol Sci Pract*. 2014;2014(2):1-8.
20. Saedon NI, Pin Tan M, Frith J. The Prevalence of Orthostatic Hypotension: A Systematic Review and Meta-Analysis. *J Gerontol A Biol Sci Med Sci*. 2020;75(1):117-22.
21. Figueroa JJ, Basford JR, Low PA. Preventing and treating orthostatic hypotension: As easy as A, B, C. *Cleve Clin J Med*. 2010;77(5):298-306.
22. Wieling W, Thijs RD, Van Dijk N, Wilde AAM, Benditt DG, Van Dijk JG. Symptoms and signs of syncope: a review of the link between physiology and clinical clues. *Brain*. 2009;132(10):2630-42.
23. Schondorf R, Low PA. Idiopathic postural orthostatic tachycardia syndrome: an attenuated form of acute pandysautonomia? *Neurology*. 1993;43(1):132-7.
24. Kavi L, Nuttall N, Low PA, Opie M, Nicholson L, Caldow E, et al. A profile of patients with postural tachycardia syndrome and their experience of healthcare in the uk. *British journal of cardiology*. 2016;23(33).
25. Raj SR, Guzman JC, Harvey P, Richer L, Schondorf R, Seifer C, et al. Canadian Cardiovascular Society Position Statement on Postural Orthostatic Tachycardia Syndrome (POTS) and Related Disorders of Chronic Orthostatic Intolerance. *Can J Cardiol*. 2020;36(3):357-72.
26. Koene RJ, Adkisson WO, Benditt DG. Syncope and the risk of sudden cardiac death: Evaluation, management, and prevention. *J Arrhythm*. 2017;33(6):533-44.
27. Postema P, Wilde A. The Measurement of the QT Interval. *Current Cardiology Reviews*. 2014;10(3):287-94.
28. Pabba K, Chakraborty RK. Jervell and Lange Nielsen Syndrome. *StatPearls*. Treasure Island (FL)2020.
29. Priori SG, Blomstrom-Lundqvist C, Mazzanti A, Blom N, Borggrefe M, Camm J, et al. 2015 ESC Guidelines for the management of patients with ventricular arrhythmias and the prevention of sudden cardiac death: The Task Force for the Management of Patients with Ventricular Arrhythmias and the Prevention of Sudden Cardiac Death of the European Society of Cardiology (ESC). Endorsed by: Association for European Paediatric and Congenital Cardiology (AEPC). *Eur Heart J*. 2015;36(41):2793-867.
30. Gaita F, Giustetto C, Bianchi F, Wolpert C, Schimpf R, Riccardi R, et al. Short QT Syndrome: a familial cause of sudden death. *Circulation*. 2003;108(8):965-70.
31. Rao AL, Salerno JC, Asif IM, Drezner JA. Evaluation and management of wolff-Parkinson-white in athletes. *Sports Health*. 2014;6(4):326-32.
32. Drug, Therapeutics B. QT interval and drug therapy. *BMJ*. 2016;353:i2732.
33. Goliash G, Kammerlander AA, Nitsche C, Dona C, Schachner L, Ozturk B, et al. Syncope: The Underestimated Threat in Severe Aortic Stenosis. *JACC Cardiovasc Imaging*. 2019;12(2):225-32.
34. Kenny RA, Brignole M, Dan GA, Deharo JC, van Dijk JG, Doherty C, et al. Syncope Unit: rationale and requirement--the European Heart Rhythm Association position statement endorsed by the Heart Rhythm Society. *Europace*. 2015;17(9):1325-40.
35. Steer S, Pickrell WO, Kerr MP, Thomas RH. Epilepsy prevalence and socioeconomic deprivation in England. *Epilepsia*. 2014;55(10):1634-41.

36. Tannemaat MR, Thijs RD, van Dijk JG. Managing psychogenic pseudosyncope: Facts and experiences. *Cardiol J*. 2014;21(6):658-64.
37. Shen WK, Sheldon RS, Benditt DG, Cohen MI, Forman DE, Goldberger ZD, et al. 2017 ACC/AHA/HRS Guideline for the Evaluation and Management of Patients With Syncope: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines and the Heart Rhythm Society. *J Am Coll Cardiol*. 2017;70(5):e39-e110.
38. Benbadis SR, Chichkova R. Psychogenic pseudosyncope: an underestimated and provable diagnosis. *Epilepsy & Behavior*. 2006;9(1):106-10.
39. Blad H, Lamberts RJ, van Dijk JG, Thijs RD. Tilt-induced vasovagal syncope and psychogenic pseudosyncope: overlapping clinical entities. *Neurology*. 2015;85(23):2006-10.
40. Raj V, Rowe AA, Fleisch SB, Paranjape SY, Arain AM, Nicolson SE. Psychogenic pseudosyncope: diagnosis and management. *Autonomic Neuroscience*. 2014;184:66-72.
41. Akparibo IY, Anderson J, Chumbley E. Aerospace, Gravitational Effects, High Performance. *StatPearls*. Treasure Island (FL)2020.
42. Smith PE. If it's not epilepsy. *Journal of Neurology, Neurosurgery & Psychiatry*. 2001;70(suppl 2):ii9-ii14.
43. Dickinson DF. The normal ECG in childhood and adolescence. *Heart*. 2005;91(12):1626-30.
44. Croci F. The application of a standardized strategy of evaluation in patients with syncope referred to three syncope units. *Europace*. 2002;4(4):351-5.
45. Quinn J, McDermott D. Electrocardiogram findings in emergency department patients with syncope. *Acad Emerg Med*. 2011;18(7):714-8.
46. Mendu ML, McAvay G, Lampert R, Stoehr J, Tinetti ME. Yield of diagnostic tests in evaluating syncopal episodes in older patients. *Arch Intern Med*. 2009;169(14):1299-305.
47. Sarasin FP, Louis-Simonet M, Carballo D, Slama S, Rajeswaran A, Metzger JT, et al. Prospective evaluation of patients with syncope: a population-based study. *Am J Med*. 2001;111(3):177-84.
48. Kapoor WN. Evaluation and outcome of patients with syncope. *Medicine (Baltimore)*. 1990;69(3):160-75.
49. Sarasin FP, Junod AF, Carballo D, Slama S, Unger PF, Louis-Simonet M. Role of echocardiography in the evaluation of syncope: a prospective study. *Heart*. 2002;88(4):363-7.
50. Arthur W. Current investigations used to assess syncope. 2001;77(903):20-3.
51. Rathore G, Larsen P, Fernandez C, Parakh M. Diverse presentation of breath holding spells: two case reports with literature review. *Case Rep Neurol Med*. 2013;2013:603190.
52. Guven B, Oner T, Tavli V, Yilmazer MM, Demirpence S, Mese T. Low iron storage in children with tilt positive neurally mediated syncope. *World Journal of Pediatrics*. 2013;9(2):146-51.
53. Sankar V, Close S, Leslie SJ. Evidence based evaluation of syncope of uncertain origin. *British Journal of Medical Practitioners*. 2010;3(4).
54. Plash WB, Diedrich A, Biaggioni I, Garland EM, Paranjape SY, Black BK, et al. [Diagnosing postural tachycardia syndrome: comparison of tilt testing compared with standing haemodynamics](#). *Clin Sci (Lond)*. 2013;124(2):109-14.

55. Puisieux F, Bulckaen H, Fauchais AL, Drumez S, Salomez-Granier F, Dewailly P. Ambulatory blood pressure monitoring and postprandial hypotension in elderly persons with falls or syncopes. *J Gerontol A Biol Sci Med Sci*. 2000;55(9):M535-40.
56. Stuebner E, Vichayanrat E, Low DA, Mathias CJ, Isenmann S, Haensch CA. Twenty-four hour non-invasive ambulatory blood pressure and heart rate monitoring in Parkinson's disease. *Front Neurol*. 2013;4:49.
57. Ejaz AA, Sekhon IS, Munjal S. Characteristic findings on 24-h ambulatory blood pressure monitoring in a series of patients with Parkinson's disease. *Eur J Intern Med*. 2006;17(6):417-20.
58. Zimetbaum P, Goldman A. Ambulatory arrhythmia monitoring: choosing the right device. *Circulation*. 2010;122(16):1629-36.
59. Bass EB, Curtiss EI, Arena VC, Hanusa BH, Cecchetti A, Karpf M, et al. The duration of Holter monitoring in patients with syncope: is 24 hours enough? *Archives of Internal Medicine*. 1990;150(5):1073-8.
60. Kapoor WN. Evaluation and management of the patient with syncope. *JAMA*. 1992;268(18):2553-60.
61. Farwell DJ. Does the use of a syncope diagnostic protocol improve the investigation and management of syncope? *Heart*. 2004;90(1):52-8.
62. Sivakumaran S, Krahn AD, Klein GJ, Finan J, Yee R, Renner S, et al. A prospective randomized comparison of loop recorders versus Holter monitors in patients with syncope or presyncope. *Am J Med*. 2003;115(1):1-5.
63. Kapoor WN. Diagnostic evaluation of syncope. *Am J Med*. 1991;90(1):91-106.
64. Bisignani A, De Bonis S, Mancuso L, Ceravolo G, Bisignani G. Implantable loop recorder in clinical practice. *Journal of Arrhythmia*. 2019;35(1):25-32.
65. Krahn AD, Klein GJ, Yee R, Norris C. Final results from a pilot study with an implantable loop recorder to determine the etiology of syncope in patients with negative noninvasive and invasive testing. *Am J Cardiol*. 1998;82(1):117-9.
66. Galli A, Ambrosini F, Lombardi F. Holter Monitoring and Loop Recorders: From Research to Clinical Practice. *Arrhythm Electrophysiol Rev*. 2016;5(2):136-43.
67. Pachulski R, Cockrell J, Solomon H, Yang F, Rogers J. Implant Evaluation of an Insertable Cardiac Monitor Outside the Electrophysiology Lab Setting. 2013;8(8):e71544.
68. Mittal S, Sanders P, Pokushalov E, Dekker L, Kereiakes D, Schloss EJ, et al. Safety Profile of a Miniaturized Insertable Cardiac Monitor: Results from Two Prospective Trials. *Pacing and Clinical Electrophysiology*. 2015;38(12):1464-9.
69. Brignole M, Sutton R, Menozzi C, Garcia-Civera R, Moya A, Wieling W, et al. Early application of an implantable loop recorder allows effective specific therapy in patients with recurrent suspected neurally mediated syncope. *Eur Heart J*. 2006;27(9):1085-92.
70. Krahn AD, Klein GJ, Yee R, Hoch JS, Skanes AC. [Cost implications of testing strategy in patients with syncope: randomized assessment of syncope trial](#). *J Am Coll Cardiol*. 2003;42(3):495-501.
71. Steinberg JS, Varma N, Cygankiewicz I, Aziz P, Balsam P, Baranchuk A, et al. [2017 ISHNE-HRS expert consensus statement on ambulatory ECG and external cardiac monitoring/telemetry](#). *Heart Rhythm*. 2017;14(7):e55-e96.
72. Furukawa T, Maggi R, Bertolone C, Fontana D, Brignole M. [Additional diagnostic value of very prolonged observation by implantable loop recorder in patients with unexplained syncope](#). *J Cardiovasc Electrophysiol*. 2012;23(1):67-71.

73. Bhangu J, McMahon CG, Hall P, Bennett K, Rice C, Crean P, et al. Long-term cardiac monitoring in older adults with unexplained falls and syncope. *Heart*. 2016;102(9):681-6.
74. Fitchet A, Stirling M, Burnett G, Goode GK, Garratt CJ, Fitzpatrick AP. Holter monitoring vs tilt testing in the investigation of suspected vasovagal syncope. *Pacing and clinical electrophysiology : PACE*. 2003;26(7 Pt 1):1523-7.
75. Aydin MA, Salukhe TV, Wilke I, Willems S. Management and therapy of vasovagal syncope: A review. *World J Cardiol*. 2010;2(10):308-15.
76. Jones PK, Gibbons CH. Autonomic function testing: an important diagnostic test for patients with syncope. *Pract Neurol*. 2015;15(5):346-51.
77. Gibbons RJ, Balady GJ, Bricker JT, Chaitman BR, Fletcher GF, Froelicher VF, et al. ACC/AHA 2002 guideline update for exercise testing: summary article. A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee to Update the 1997 Exercise Testing Guidelines). *J Am Coll Cardiol*. 2002;40(8):1531-40.
78. Boudoulas H, Schaal SF, Lewis RP, Robinson JL. Superiority of 24-hour outpatient monitoring over multi-stage exercise testing for the evaluation of syncope. *J Electrocardiol*. 1979;12(1):103-8.
79. Brignole M, Menozzi C, Moya A, Garcia-Civera R, Mont L, Alvarez M, et al. Mechanism of syncope in patients with bundle branch block and negative electrophysiological test. *Circulation*. 2001;104(17):2045-50.
80. Coffin ST, Raj SR. Non-invasive management of vasovagal syncope. *Auton Neurosci*. 2014;184:27-32.
81. Metzler M, Duerr S, Granata R, Krismer F, Robertson D, Wenning GK. Neurogenic orthostatic hypotension: pathophysiology, evaluation, and management. *J Neurol*. 2013;260(9):2212-9.
82. Agarwal AK, Garg R, Ritch A, Sarkar P. Postural orthostatic tachycardia syndrome. *Postgrad Med J*. 2007;83(981):478-80.
83. Rodriguez B, Zimmermann R, Gutbrod K, Heinemann D, Z'Graggen WJ. Orthostatic Cognitive Dysfunction in Postural Tachycardia Syndrome After Rapid Water Drinking. *Front Neurosci*. 2019;13:327.
84. Lu C-C, Diedrich A, Tung C-S, Paranjape SY, Harris PA, Byrne DW, et al. Water Ingestion as Prophylaxis Against Syncope. *Circulation*. 2003;108(21):2660-5.
85. Miller AJ, Raj SR. [Pharmacotherapy for postural tachycardia syndrome](#). *Auton Neurosci*. 2018;215:28-36.
86. Gracie J, Baker C, Freeston MH, Newton JL. The role of psychological factors in the aetiology and treatment of vasovagal syncope. *Indian Pacing Electrophysiol J*. 2004;4(2):79-84.
87. Linzer M, Pontinen M, Gold DT, Divine GW, Felder A, Brooks WB. Impairment of physical and psychosocial function in recurrent syncope. *J Clin Epidemiol*. 1991;44(10):1037-43.
88. Linzer M, Gold DT, Pontinen M, Divine GW, Felder A, Brooks WB. Recurrent syncope as a chronic disease: preliminary validation of a disease-specific measure of functional impairment. *J Gen Intern Med*. 1994;9(4):181-6.
89. Goldstein CM, Gathright EC, Garcia S. Relationship between depression and medication adherence in cardiovascular disease: the perfect challenge for the integrated care team. *Patient Preference and Adherence*. 2017;Volume 11:547-59.

90. LaFerney MC. A psychiatric approach to vasovagal syncope. *Current Psychiatry*. 2011;10:53+.
91. Stone KJ, Viera AJ, Parman CL. Off-label applications for SSRIs. *Am Fam Physician*. 2003;68(3):498-504.
92. Grubb B. [Serotonin and syncope: an emerging connection?](#) *Eur J Cardiac Pacing & Electrophysiol*. 1996;5:306-14.
93. Newton J. Cognitive behavioural therapy as a potential treatment for vasovagal/neurocardiogenic syncope—a pilot study. *Europace*. 2003;5(3):299-301.
94. Wieling W, Ganzeboom KS, Saul JP. Reflex syncope in children and adolescents. *Heart*. 2004;90(9):1094-100.
95. Yarlagadda S, Poma PA, Green LS, Katz V. Syncope during pregnancy. *Obstet Gynecol*. 2010;115(2 Pt 1):377-80.
96. Banhidy F, Acs N, Puho EH, Czeizel AE. Hypotension in pregnant women: a population-based case-control study of pregnancy complications and birth outcomes. *Hypertens Res*. 2011;34(1):55-61.
97. Bhatia M, Kavi L, Nelson-Piercy C. Postural tachycardia syndrome and pregnancy. *The Obstetrician & Gynaecologist*. 2018;20(2):119-23.
98. Chatur S, Islam S, Moore LE, Sandhu RK, Sheldon RS, Kaul P. Incidence of Syncope During Pregnancy: Temporal Trends and Outcomes. *J Am Heart Assoc*. 2019;8(10):e011608.
99. Adamson DL, Nelson-Piercy C. Managing palpitations and arrhythmias during pregnancy. *Heart*. 2007;93(12):1630-6.
100. Park SY, Kim SS. An anesthetic experience with cesarean section in a patient with vasovagal syncope -A case report. *Korean J Anesthesiol*. 2010;59(2):130-4.
101. Warland J. [Low blood pressure](#). *BMC Pregnancy and Childbirth*. 2012;12(S1).
102. Gbinigie NI AM, Barclay PM. Informed consent and fainting fathers. *Anaesthesia*. 2000;56(6):603-4.
103. Zhao P. Supine Hypotensive Syndrome: A Comprehensive Review of Literature. *Transl Perioper & Pain Med*. 2014;1.
104. Solanki G. A review on Supine Hypotension Syndrome. *IJPR*. 2012;2(2):81-2.
105. Paech M. Should we take a different angle in managing pregnant women at delivery? Attempting to avoid the 'supine hypotensive syndrome'. *Anaesth Intensive Care*. 2008;36(6):775-7.
106. Saqr L, Kumar MM. Neurocardiogenic syncope in the obstetric patient. *Anaesthesia*. 2007;62(1):79-84.
107. Krediet C, Go-Schon I, Van Lieshout J, Wieling W. Optimizing squatting as a physical maneuver to prevent vasovagal syncope. *Clinical autonomic research : official journal of the Clinical Autonomic Research Society*. 2008;18:179-86.
108. Thaman R, Curtis S, Faganello G, Szantho GV, Turner MS, Trinder J, et al. Cardiac outcome of pregnancy in women with a pacemaker and women with untreated atrioventricular conduction block. *Europace*. 2011;13(6):859-63.
109. Mont L, Pelliccia A, Sharma S, Biffi A, Borjesson M, Brugada Terradellas J, et al. [Pre-participation cardiovascular evaluation for athletic participants to prevent sudden death: Position paper from the EHRA and the EACPR, branches of the ESC](#). Endorsed by APHRS, HRS, and SOLAECE. *Eur J Prev Cardiol*. 2017;24(1):41-69.
110. Harmon KG, Drezner JA, Wilson MG, Sharma S. Incidence of sudden cardiac death in athletes: a state-of-the-art review. *Heart*. 2014;100(16):1227-34.

111. Finocchiaro G, Papadakis M, Robertus JL, Dhutia H, Steriotis AK, Tome M, et al. Etiology of Sudden Death in Sports: Insights From a United Kingdom Regional Registry. *J Am Coll Cardiol*. 2016;67(18):2108-15.
112. de Noronha SV, Sharma S, Papadakis M, Desai S, Whyte G, Sheppard MN. Aetiology of sudden cardiac death in athletes in the United Kingdom: a pathological study. *Heart*. 2009;95(17):1409-14.
113. Demorest RA. Syncope and Sudden Cardiac Death in the Pediatric Athlete. *Clinical Pediatric Emergency Medicine*. 2013;14(4):279-88.
114. Greve Y, Geier F, Popp S, Bertsch T, Singler K, Meier F, et al. The prevalence and prognostic significance of near syncope and syncope: a prospective study of 395 cases in an emergency department (the SPEED study). *Dtsch Arztebl Int*. 2014;111(12):197-204.
115. Corrado D, Thiene G, Nava A, Rossi L, Pennelli N. Sudden death in young competitive athletes: clinicopathologic correlations in 22 cases. *Am J Med*. 1990;89(5):588-96.
116. Colivicchi F, Ammirati F, Santini M. Epidemiology and prognostic implications of syncope in young competing athletes. *Eur Heart J*. 2004;25(19):1749-53.
117. Kosinski D, Grubb BP, Karas BJ, Frederick S. Exercise-induced neurocardiogenic syncope: clinical data, pathophysiological aspects, and potential role of tilt table testing. *Europace*. 2000;2(1):77-82.
118. Semsarian C, Sweeting J, Ackerman MJ. Sudden cardiac death in athletes. *Br J Sports Med*. 2015;49(15):1017-23.
119. Goldschlager N, Epstein AE, Grubb BP, Olshansky B, Prystowsky E, Roberts WC, et al. Etiologic Considerations in the Patient With Syncope and an Apparently Normal Heart. *Archives of Internal Medicine*. 2003;163(2):151-62.
120. Antzelevitch C, Brugada P, Borggrefe M, Brugada J, Brugada R, Corrado D, et al. Brugada Syndrome: Report of the Second Consensus Conference. *Circulation*. 2005;111(5):659-70.
121. Asplund CA, O'Connor FG, Noakes TD. Exercise-associated collapse: an evidence-based review and primer for clinicians. *Br J Sports Med*. 2011;45(14):1157-62.
122. Maron BJ, Thompson PD, Ackerman MJ, Balady G, Berger S, Cohen D, et al. [Recommendations and Considerations Related to Preparticipation Screening for Cardiovascular Abnormalities in Competitive Athletes](#): 2007 Update. *Circulation*. 2007;115(12):1643-55.
123. Corrado D, Basso C, Pavei A, Michieli P, Schiavon M, Thiene G. [Trends in sudden cardiovascular death in young competitive athletes after implementation of a preparticipation screening program](#). *JAMA*. 2006;296(13):1593-601.
124. Fuller C, Scott C, Hug-English C, Yang W, Pasternak A. Five-Year Experience with Screening Electrocardiograms in National Collegiate Athletic Association Division I Athletes. *Clinical Journal of Sport Medicine*. 2016;26(5):369-75.
125. Malhotra A, Sharma S. [Outcomes of Cardiac Screening in Adolescent Soccer Players](#). *N Engl J Med*. 2018;379(21):2084.
126. Drezner JA, Sharma S, Baggish A, Papadakis M, Wilson MG, Prutkin JM, et al. International criteria for electrocardiographic interpretation in athletes: Consensus statement. *British Journal of Sports Medicine*. 2017;51(9):704-31.

127. Magee C, Kazman J, Haigney M, Oriscello R, DeZee KJ, Deuster P, et al. Reliability and validity of clinician ECG interpretation for athletes. *Ann Noninvasive Electrocardiol.* 2014;19(4):319-29.
128. Semsarian C, Sweeting J, Ackerman MJ. [Sudden cardiac death in athletes](#). *BMJ.* 2015;350:h1218.
129. Goyal P, Maurer MS. Syncope in older adults. *J Geriatr Cardiol.* 2016;13(5):380-6.
130. Sterling DA, O'Connor JA, Bonadies J. Geriatric Falls: Injury Severity Is High and Disproportionate to Mechanism. *The Journal of Trauma: Injury, Infection, and Critical Care.* 2001;50(1):116-9.
131. Alpert JS. Syncope in the Elderly. *Am J Med.* 2019;132(10):1115-6.
132. Parry SW, Steen IN, Baptist M, Kenny RA. Amnesia for loss of consciousness in carotid sinus syndrome: implications for presentation with falls. *J Am Coll Cardiol.* 2005;45(11):1840-3.
133. Kenny RA, Traynor G. Carotid sinus syndrome--clinical characteristics in elderly patients. *Age Ageing.* 1991;20(6):449-54.
134. Sheldon RS, Sheldon AG, Connolly SJ, Morillo CA, Klingenheben T, Krahn AD, et al. Age of first faint in patients with vasovagal syncope. *J Cardiovasc Electrophysiol.* 2006;17(1):49-54.
135. Parry SW, Kenny RA. Vasovagal syncope masquerading as unexplained falls in an elderly patient. *Can J Cardiol.* 2002;18(7):757-8.
136. Alboni P, Brignole M, Menozzi C, Raviele A, Del Rosso A, Dinelli M, et al. Diagnostic value of history in patients with syncope with or without heart disease. *Journal of the American College of Cardiology.* 2001;37(7):1921-8.
137. Nume AK, Kragholm K, Carlson N, Kristensen SL, Boggild H, Hlatky MA, et al. Syncope and Its Impact on Occupational Accidents and Employment: A Danish Nationwide Retrospective Cohort Study. *Circ Cardiovasc Qual Outcomes.* 2017;10(4).
138. Edvardsson N, Frykman V, van Mechelen R, Mitro P, Mohii-Oskarsson A, Pasquie JL, et al. Use of an implantable loop recorder to increase the diagnostic yield in unexplained syncope: results from the PICTURE registry. *Europace.* 2011;13(2):262-9.
139. Edvardsson N, Wolff C, Tsintzos S, Rieger G, Linker NJ. Costs of unstructured investigation of unexplained syncope: insights from a micro-costing analysis of the observational PICTURE registry. *Europace.* 2015;17(7):1141-8.